

7. REFERENCES

- Alley, W.M., Reilly T.E., and Franke, O.L., 1999. Sustainability of Ground Water Resources. U.S. Geological Survey Circular 1186.
- Alley, W. M. and Leake, S., 2004. The Journey from Safe Yield to Sustainability. Groundwater, Vol. 42, p 10 – 16.
- Altenhofen, J., 2000. Tamarack Recharge Project Final Accounting for Water Year 1999. Letter to Dick Stenzel, Colorado Division of Water Resources. 7 January 2000.
- Altenhofen, J., 2001. Substitute Water Supply Plan for Tamarack Recharge Project: Request for Extension to October 31, 2002 and Summary of Water Year 2001 Operations. Letter to Hal Simpson and Bill McIntyre, Colorado State Engineers Office. 10 September 2001.
- Altenhofen, J., 2005. Northern Colorado Water Conservancy District. Personal Communication, 18 April 2005.
- Annear, T., I. Chisholm, H. Beecher, A. Locke, and 12 other authors. 2002. Instream Flows for Riverine Resource Stewardship. Published by the Instream Flow Council, Cheyenne, WY.
- Appleby, Andy. Personal communication. 2007. Fisheries Biologist, Washington Department of Fish and Wildlife. Personal communication, April 2007.
- Barlow, P.M., D. P. Ahlfeld, and D.C. Dickerman, 2003. Conjunctive-Management Models for Sustained Yield of Stream-Aquifer Systems. Journal of Water Resources Planning and Management 126: 35-48.
- Bauer, H.H., and Mastin, M.C., 1997, Recharge from precipitation in three small glacial-till-mantled catchments in the Puget Sound Lowland, Washington: U.S. Geological Survey Water-Resources Investigations Report 96-4219, 119 p.
- Berris, S.N. 1995. Conceptualization and Simulation of Runoff Generation from Rainfall for Three Basins in Thurston County, Washington. U.S. Geological Survey, Water Resources Investigation Report 94-4038. Prepared in Cooperation with Thurston County Department of Public Works. USGS, Tacoma, WA.
- Birkinshaw, S.J. and Ewen, J. 2000. Nitrogen transformation component for SHETRAN catchment nitrate transport modelling. J. Hydrology, 230, 1-17, 2000.
- Booth, D.B., 1990. Surficial geologic map of the Skykomish and Snoqualmie Rivers area, Snohomish and King Counties. USGS [Miscellaneous investigations series](#) Map I-1745.
- Bovee, K.D., B.L. Lamb, J.M. Bartholow, C.D. Stalnaker, J. Taylor, and J. Henriksen. 1998. Stream habitat analysis using the Instream Flow Incremental Methodology. U.S. Geological Survey, Biological Resources Division, Information and Technical Report USGS/BRD-1998-0004. 131pp.

- Bowman, D. and D. Carlson. August 1994. Pulse flow requirements for the Central Platte River. Report from a May 16-20, 1994, workshop at the Mid Continent Ecological Science Center, Fort Collins, Colorado. Fish and Wildlife Service, Grand Island, Nebraska. 11 p.
- Burns, A.W., 1985. Hydrologic description of the Tamarack Wildlife Area and vicinity, Logan County, Colorado, and simulated effects of possible water-management activities. United States Geological Survey, Open-File Report 83-139. Western Distribution Branch, Lakewood CO. Prepared in cooperation with the Colorado Department of Natural Resources, Division of Wildlife.
- Calver, Ann, 2001, Riverbed Permeabilities: Information from Pooled Data, Ground Water, 2001 Jul-Aug; 39(4):546-53.
- Capra, H., B. Pascal, and Y. Souchon. 1995. A new tool to interpret magnitude and duration of fish habitat variations. *Regulated Rivers: Research and Management*. 10: 281-289.
- Castleberry, D. T., J. J. Cech Jr., D. C. Erman, D. Hankin, M. Healey, G. M. Kondolf, M. Mangel, M. Mohr, P. B. Moyle, J. Nielsen, T. P. Speed and J. G. Williams. 1996. Uncertainty and Instream Flow Standards. *Fisheries* 2(8): 20-21.
- Cederholm, C.J., and W.J. Scarlett. 1981. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981, p. 98-110. *In*: E.L. Brannon and E.O. Salo (eds.) *Proceedings of the Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, University of Washington, Seattle, WA.
- Chen, X. and Chen, X., 2003, Effects of aquifer anisotropy on the mitigation of infiltrated stream water to a pumping well, *Journal of Hydrologic Engineering*, DOI: 10.1061/(ASCE)1084-0699(2003)8:5(287).
- City of North Bend (North Bend). 2002. Water Comprehensive Plan Final. Prepared by Gray and Osborne, Inc. May 2002.
- City of North Bend Public Works Department (North Bend). 2004. North Bend Water System Water Demand Forecast. March.
- Colorado Division of Wildlife. 1998. Environmental assessment for the Tamarack managed groundwater recharge project at Tamarack State Wildlife Area and Pony Express State Wildlife Area . Vol. 1. Hydrologic characteristics of the Valley-Fill aquifer in the Julesburg Reach of the South Platte River Valley, Colorado.
- Colorado Division of Water Resources, 1999. South Platte Lower River Group and Tamarack Project Provide Recharge Opportunities. *In* Colorado Stream Lines, Quarterly Newsletter of the Division of Water Resources 13 (1).
- Compass, 2001, Groundwater Under Influence Monitoring Program and Hydrogeologic Assessment. March 31, 2006.
- Cooney, P., and M. S. Allen. 2006. Effects of introduced groundwater on water chemistry and fish assemblages in central Florida Lakes. *Hydrobiologia* 556:279-224.

- Cowx, I.G., 2000. Potential Impact of groundwater augmentation of river flows on fisheries. *Fisheries Management and Ecology* Vol 7: 85-96.
- Craig, H., 1961. Standard for reporting concentrations of deuterium and oxygen-18 in natural waters. *Science* 133: 1833-1834.
- Dinicola, R.S. 1990. Characterization and Simulation of Rainfall-Runoff Relations for Headwater Basins in Western King and Snohomish Counties, Washington. Water-Resources Investigation Report 89-4052. U.S. Geological Survey, Tacoma, WA.
- Dion, N.P., Sumioka, S.S., and Winter, T.C., 1983, General hydrology and external sources of nutrients affecting Pine Lake, King County, Washington: U.S. Geological Survey Water-Resources Investigations Report 83-4057, 29 p.
- Doherty, John. 2004. PEST: Model-Independent Parameter Estimation.
- Driscoll, F.G., 1986. *Groundwater and Wells*, Johnson Filtration Systems Inc. St. Paul, MN.
- Driver, N and Tasker D. 1987. Techniques for Estimation of Storm-Runoff Loads, Volumes, and Selected Constituent Concentrations in Urban Watersheds in the United States. U.S. Geological Survey, Water Supply Paper 2363.
- Drost, B. W., 1983. Impact of changes in land use on the ground-water system in the Sequim-Dungeness Peninsula, Clallam County, Washington. Water-Resources Investigations Report 83-4094.
- Drost, B. W.; Turney, G. L.; Dion, N. P.; Jones, M. A., 1998. Hydrology and quality of ground water in northern Thurston County, Washington. Water-Resources Investigations Report 92-4109.
- East King County Ground Water Advisory Committee. 1998. Final East King County Ground Water Management Plan: Management Strategies. Submitted December 1998.
- Environment Agency (EA), 2004, IGARF v4 User Manual.
- Fabritz, Jason, Joel Massmann, and Derek Booth. 1998. Development of a Three-Dimensional Numerical Groundwater Flow Model for the Duwamish River Basin. Center for Urban Water Resources Management.
- Ferris, J.G., 1951. Cyclic Fluctuations of Water Levels as a Basis for Determining Aquifer Transmissibility, International Union of Geodesy and Geophysics, Association of Science Hydrology, Pub. 33, 148-155.
- Fitzgerald, J., T. Hardy and T. Geierldaho. 1998. Refinement of a geomorphic risk assessment and application to a nonpoint sediment source analysis in the Middle Fork Payette River subbasin, Idaho. Draft manuscript prepared for the U.S. Environmental Protection Agency, Idaho Operations Office, Boise.
- Fox, G.A., P. DuChateau, and D.S. Durnford. 2002. Analytical model for aquifer response incorporating distributed pumping-induced stream leakage. *Ground Water* 40(4): 378-384.

- Fox, G.A., and D.S. Durnford. 2003. Unsaturated hyporheic zone flow in stream/aquifer conjunctive systems, *Advances in Water Resources*, Volume 26, Issue 9, September 2003, Pages 989-1000
- Freeze, R.A. and J.A. Cherry. 1979. *Groundwater*. Englewood Cliffs, N.J. : Prentice-Hall.
- Frimpter, M.H., J.J. Donohue, M.V. Rapacz. 1990. A mass-balance nitrate model for predicting the effects of land use on groundwater quality. U.S. Geological Survey Open File Report 88:493.
- Frissel, C.A. and D. Bayles, 1996. Ecosystem management and the conservation of aquatic biodiversity and ecological integrity. *Water Resources Bulletin*, 32 (2): 229 – 240.
- George, Glen. 2005. City of Tacoma, Public Works Department. Personnel Communication. 21 April 2005.
- Giles et al., 1988. River regulation by seasonal groundwater extraction: The case of the River Itchen. *Regulated Rivers: Research and Management Vol 2*: 335-347.
- Glennon, Robert J. and Thomas Maddock. 1997. *The Concept of Capture: The Hydrology and Law of Stream/Aquifer Interactions*. Forty-Third Annual Rocky Mountain Mineral Law Institute.
- Glover, R.E. and C. G. Balmer. 1954. River Depletion from Pumping a Well near a river. *American Geophysical Union Transactions* 35(3), 468-470.
- Golder. 1995. Summary Report to East King County Regional Water Association on Snoqualmie Basin Groundwater Supply Evaluation Geophysical Survey. Report submitted on January 9, 1995.
- Golder. 1996. Technical Briefing Document on Hydrogeologic Investigations in the Upper Snoqualmie Basin. Prepared by Golder Associates, Inc. on behalf of East King County Regional Water Association, Permit Application G1-27834. January 17, 1996.
- Golder. 2000a. Report to East King County Regional Water Association on Exploratory Drilling in North Bend. Report submitted on August 17, 2000.
- Golder. 2000b. Preliminary Watershed Assessment for the Snoqualmie Aquifer Project, Draft. Prepared for East King County Regional Water Association. October 30, 2000.
- Golder. 2002. Final Draft Phase II Watershed Technical Assessment. June 26, 2002.
- Golder. 2003a. Draft Study Plan Testing and Mitigation Analysis, City of North Bend Water Rights Application G1-26617. Report submitted to Law Offices of Thomas Pors on behalf of the City of North Bend Sallal Water District.
- Golder, 2003b. North Bend Test Interpretation. Report submitted to Pacific Groundwater Group and the Department of Ecology on December 16, 2003.
- Golder. 2004. North Bend Mitigation Forecasting Model Water Right Application G1-26617. March 26, 2004.

- Golder. 2007a. Report on City of North Bend Production Well NB-3 Drilling and Aquifer Testing. Report. Submitted to Law Offices of Thomas Pors on behalf of City of North Bend on January 15, 2007.
- Golder. 2007b, Report on North Bend Mitigation Supply From Hobo Springs and Sallal Wells. Submitted to Law Offices of Thomas Pors on behalf of City of North Bend on February 28, 2007.
- Golder. 2007c, Streamflow Travel Times on Boxley Creek and the South Fork Snoqualmie River. Technical Memorandum. February 8, 2007.
- Golder and Fitch and Marshall, Inc., 2004. Ahtanum Creek Watershed Assessment. February 10, 2004.
- Golder and HDR. 1998. Project Description and Work Plan for Snoqualmie Aquifer Project Permit Applications G1-27384 and S1-22877. Submitted to State of Washington Department of Ecology. Submitted by East King County Regional Water Association on March 30, 1998.
- Goldstein, P.Z. 1999. Functional Ecosystems and Biodiversity Buzzwords. *Conservation Biology* 13(2): 247-255.
- Hainline, J.L., 2001. Final Environmental Assessment, Development of Water Supply Production Wells for Lower Klamath National Wildlife Refuge. Prepared for US Fish and Wildlife Service.
- Hamlet, A., D. Fluharty, D. Lettenmaier, N. Mantua, E. Miles, P. Mote, L. Whitley Binder. 2001. Effects of Climate Change on Water Resources in the Pacific Northwest: Impacts and Policy Implications. JISAO Climate Impacts Group, University of Washington. July 3, 2001.
- Hantush, M.S. 1965, Wells near stream with semi-pervious beds. *Journal of Geophysical Research* 70(12), 2829-2838.
- Hardy, T.B. 1998. The future of habitat modelling and instream flow assessment techniques. *Regulated Rivers: Research and Management* 14:405-420.
- Hart Crowser, 1983. Technical Report Cedar Falls-Morse Lake Project Hydrologic Study, Phase I. Volume I. Prepared for City of Seattle, City Light Department Water Department. October 28, 1983.
- Hart Crowser, 1994. Middle Fork Test Well No. 1, Snoqualmie Basin Assessment, North Bend, Washington. Report submitted to Golder Associates and East King County Regional Water Association, October 20, 1994.
- Horton, R. E. (1937). "Hydrologic Aspects of the Problem of Stabilizing Streamflow," *Journal of Forestry*, Vol. 35, No. II, November, pp. 1015-1027.
- Hughes, R.M. and R.F. Noss. 1992. Biological Diversity and Biological Integrity: Current Concerns for Lakes and Streams. *Fisheries* 17(3): 11-19.

- Hughes, F.M.R., W.M. Adams, E. Muller, C. Nilsson, K.S. Richards and 13 others. 2001. The importance of different scale processes for the restoration of floodplain woodlands. *Regulated Rivers: Research and Management* 17: 325-345.
- Hunt, B., 1999. Unsteady stream depletion from groundwater pumping. *Groundwater*, 37(1), 98-102.
- Huntsman, B.E. and McCreedy, R.W., 1995. Passive Monitoring to Determine Aquifer Diffusivity, Proceedings of International Association of Hydrogeologists Congress, June 4-10, 1995. Edmonton, Alberta, Canada.
- Independent Scientific Group. 2000. Return to the River. Northwest Power Planning Council, Report 2000-12. 536 pp.
- Jenkins, C.T. 1968. Techniques for computing rate and volume of stream depletion by wells. *Groundwater*, 6(2): 37-46.
- Jha, M.K., Jayalekshmi, K., Machiwal, D., Kamii, Y., Chikamori, K., 2004. Determination of hydraulic parameters of an unconfined alluvial aquifer by the floodwave-response technique, *Hydrogeology Journal*, 12:628-642.
- Kansas Water Office. 2005. Water Management Plan.
- Kardouni, J. and N. Cristea. 2006. Quality Assurance Project Plan: Snoqualmie River Temperature Total Maximum Daily Load Study. Washington State Department of Ecology Publication No. 06-03-106. Available online at <http://www.ecy.wa.gov/pubs/0603106.pdf>.
- Karr, J.R. 1991. Biological integrity: a long-neglected aspect of water resource management. *Ecological Applications* 1:66-84.
- Karr, J.R. and E.W. Chu. 1999. Restoring Life in Running Waters - Better Biological Monitoring. Island Press, Covelo, CA
- Kellogg, D.Q., L. Joubert, and A.J. Gold. 1997. MANAGE: A Method for Assessment, Nutrient-loading, And Geographic Evaluation of Nonpoint Pollution. University of Rhode Island Cooperative Extension, Department of Natural Resources Science. Kingston, RI.
- Koppelman, L.E. (Ed.). 1978. The Long Island comprehensive waste treatment management plan. Vol II. Summary documentation report, Long Island Regional Planning Board, Hauppauge, N.Y.
- Kruseman, G.P. and N.A. DeRidder. 1994. Analysis and Evaluation of Pumping Test Data, International Institute of Land Reclamation and Improvement, The Netherlands.
- Lee, C.H. 1915. The Determination of Safe Yield of underground reservoirs of the closed basin type. *Transactions, American Society of Civil Engineers* 78, 148-251.
- LOCAR. 1999. Proposals for the infrastructure and monitoring on the LOCAR catchments (Abridged version of the LOCAR task force report). Accessed online 28 April 2005 (www.nerc.ac.uk/funding/thematics/locar/documents/LOCARTaskForceReport.doc).

- Lum, W. E., II. 1984. Availability of ground water from the alluvial aquifer on the Nisqually Indian Reservation, Washington. Water-Resources Investigations Report 83-4185.
- Lum, W. E., II; Alvord, R. C.; Drost, B. W. 1984. Availability of water from the alluvial aquifer in part of the Green River Valley, King County, Washington. Water-Resources Investigations Report 83-4178.
- Luzier, J.E. 1969. Geology and Ground-Water Resources of Southwestern King County, Washington. Water Supply Bulletin No. 28.
- MacCoy, D., and D. Blew. 2005. Impacts of land-use changes and hydrologic modification on the lower Boise River, Idaho, USA. Pages 133–156 in L. R. Brown, R. H. Gray, R. M. Hughes, and M. R. Meador, editors. Effects of urbanization on stream ecosystems. American Fisheries Society, Symposium 47, Bethesda, Maryland.
- MacDonald, A.M., and D.J. Allen. 2001. Aquifer properties of the Chalk of England. [The Quarterly Journal of Engineering Geology and Hydrogeology](#) 34: 371-384.
- Mackin, J.H., 1941. Glacial geology of the Snoqualmie-Cedar area, Washington. Journal of Geology 49: 449-481.
- McChesney, D.M., 2002. Conjunctive Use in Washington: “Testing the Scientific Ideal”. Paper presented at the American Water Resources Association 2002 Annual Conference.
- McDonald, M.G., and Harbaugh, A.W., 1988. A modular three-dimensional finite-difference ground-water flow model: U.S. Geological Survey Techniques of Water-Resources Investigations, book 6, chap. A1, 586 p.
- Meaker, Bruce. personal communication. 2007. Snohomish County Public Utility District. May 1, 2007.
- Meehan, W.R. (editor). 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. American Fisheries Society Special Publication 19.
- Meinzer, O. E. 1923. Outline of groundwater hydrology with definitions. US Geological Survey Water Supply Paper 494.
- Meinzer, O. E., 1923. Outline of ground-water hydrology, with definitions : U.S. Geol. Survey Water-Supply Paper 494, 71 p.
- Milhous, R.T., M.A. Updike, and D.M. Schneider. 1989. Physical habitat simulation system reference manual - Version II. Instream flow information paper No. 26. U.S. Dept. of the Interior. Fish and Wildlife Service. Research and Development. Washington, DC. 20240.
- Miller, C.D., D. Durnford, M.R. Halstead, J. Altenhofen, and V. Flory, in press. Stream Depletion in Alluvial Valleys using the SDF Semi-Analytical Model. Ground Water (in press). doi: 10.1111/j.1745-6584.2007.00311.x
- Montgomery, D. R., and Buffington, J. M., 1993, Channel classification, prediction of channel response, and assessment of channel condition: Olympia, Washington State Department of Natural Resources Report TFW-SH10-93-002, 84 p.

- Morgan, D. S. and J.L. Jones, 1996. Numerical model analysis of the effects of ground-water withdrawals on discharge to streams and springs in small basins typical of the Puget Sound Lowland, Washington. U.S. Geological Survey Open File Report 95-470.
- Narver, D.W. 1978. Ecology of juvenile coho salmon – Can we use present knowledge for stream enhancement? p. 38-43. In: B.G. Shepherd and R.M.J. Ginetz (rapps.). Proceedings of the 1977 Northeast Pacific Chinook and Coho Salmon Workshop. Fish.Mar.Serv. (Can.) Tech. Rep. 759:164p.
- National Research Council (US). 1992. Restoration of aquatic systems: science, technology and public policy. National Academy Press, Washington DC. North Bend see City of North Bend Public Works Department.
- Normandeau Associates, Inc. and URS Corporation. 2006. 2006 Interim Report for the Limerick Generating Station Water Supply Modification Demonstration Project and Wadesville Mine Pool Withdrawal and Streamflow Augmentation Demonstration Project. Prepared for Exelon Generating Company, LLC. December 2006.
- Northwest Hydraulics Consultants, Inc. 2005. Assessment of Current Water Quantity Conditions in the Green River Basin. September 2005.
- Oakes, D.B. and W.B. Wilkinson, 1972. Modelling of groundwater and surface water systems. I-Theoretical base flow. Water Resources Board, Reading, UK.
- Owen, M., Headworth, HG, and Morgan-Jones, M., 1991. Groundwater in Basin Management. *In* Applied Groundwater Hydrology - A British Perspective, (Eds. Downing, RA and Wilkinson, WB.), Clarendon Press, Oxford. pp 16-34.
- Pacific Groundwater Group (PGG), 2006. Memorandum to Bob Anderson, Regarding North Bend Mitigation Availability. April 24, 2006.
- Parkhurst, D.L., and C.A.J. Appelo, 1999. User's Guide to PHREEQC (Version 2) - A Computer Program for Speciation, Batch-Reaction, One-Dimensional Transport, and Inverse Geochemical Calculations, U.S. Geological Survey Water-Resources Investigations Report 99-4259, Denver, CO.
- Peterson, N.P. 1980. The role of spring ponds in the winter ecology and natural production of coho salmon (*Oncorhynchus kisutch*) on the Olympic Peninsula, Washington. M.Sc. thesis. University of Washington, Seattle, WA. 96 p.
- Phibrick, C.R., and P.K. Kitanidis, 1998. Optimal conjunctive-use operations and plans. *Water Resources Research* 34: 1307-1316.
- Pitt, Robert. 2005. The National Stormwater Quality Database (NSQD, version 1.1). <http://rpitt.eng.ua.edu/Research/ms4/Paper/Mainms4paper.html>
- Platte River Endangered Species Partnership. 2003. Platte River Recovery Implementation Program, Draft. Accessed online 27 April 2005 (<http://www.platteriver.org/library/Program%20Document/Attachment%205%20Section%203%20-20Tamarack%20I.PDF>)

- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Pretegaard, B.D. Richter, R.E. Sparks and J.C. Stromberg. 1997. That natural flow regime: a paradigm for river conservation and restoration. *BioScience* 47(11):769-784.
- Ponce, V. M. and Lindquist, D. S., 1990. Management of baseflow augmentation: A review. *Water Resources Bulletin* 26 (2), 259-268.
- Pors, T. 2006. Memorandum to D. Swenson, A. Dunn, D. Matlock, and P. Schwartzmann. Amended Mitigation Plan for North Bend Water Right Application G1-26617. June 15, 2006.
- Potyondy J.P. and E.D. Andrews. 1999. Channel maintenance considerations in hydropower relicensing. Stream Systems Technology Center, Rocky Mountain Research Station. Stream Notes, April 1999.
- Prichard, D. 1998. Riparian Area Management: A User Guide to Assessing Proper Functioning Condition and the Supporting Science for Lotic Areas. Tech. Ref. 1737-15. National Applied Resource Sciences Center, Denver, CO.
- Puget Sound Technical Recovery Team/NOAA: Ruckelshaus, M., K. P. Currens, R. Fuerstenberg, W. Graeber, K. Rawson, N. J. Sands, and J. B. Scott. 2004. Independent populations of Chinook salmon in Puget Sound. Draft report. National Oceanographic and Atmospheric Administration (NOAA), Northwest Fisheries Science Center, Seattle, WA.
- Ragone, Stephen. 2007. Where Do Decision-Makers Get Advice? Sustainability and Groundwater Management Decisions. *In: Sustainable Management of Groundwater in Mexico: Proceedings of a Workshop (Series: Strengthening Science-Based Decision Making in Developing Countries)*. Laura Holliday, Luis Marin, and Henry Vaux, editors. The National Academies Press.
- Rasmussen, J.L. 1996. Floodplain Management: AFS Position Statement. *Fisheries* 21(4):6-10.
- Reckhow, K.N., M.N. Beaulac, J.T. Simpson. 1980, modeling phosphorus loading and lake response under uncertainty: a manual and compilation of export coefficients. United States Environmental Protection Agency, EPA 440/5-80-011.
- Revised Code of Washington (RCW) 70.116. Public water system coordination act of 1977.
- RH2 Engineering. 1997. City of North Bend Hydrogeologic and Production Well Report: North Bend Production Well. Report submitted to the City of North Bend and Department of Ecology, January 1997.
- Richter, B.D., J.V. Baumgartner, J. Powell, and D.P. Braun. 1996. A method for assessing hydrologic alteration within ecosystems. *Conservation Biology* 10:1163-1174.
- Richter, B.D., J.V. Baumgartner, R. Wigington and D.P. Braun. 1997. How much water does a river need? *Freshwater Biology* 37: 231-249.
- Sanders, Glen. 2001. Ground water and river flow analyses. Bureau of Reclamation and Fish and Wildlife Service, Denver, Colorado, dated May 2001.

- Sanders, Glen. 2002. Groundwater and river flow analysis. Platte River EIS Office, Bureau of Reclamation, Department of the Interior. April 2002. 26 p.
- Seattle-King County Health Department and East King County Ground Water Advisory Committee. 1995. Draft East King County Ground Water Management Plan Supplement: Area Characterization. Submitted November 1995.
- Schueler, T. 1987. Controlling urban runoff—a practical manual for planning and designing urban best management practices. Metro. Wash. Coun. Gov., Washington, DC 240 pp
- Sinclair, Kirk A. and Charles F. Pitz. 1999. Estimated Baseflow Characteristics of Selected Washington Rivers and Streams. Water Supply Bulletin No. 60. Washington State Department of Ecology Publication No. 99-327.
- Sklash, M.G., and R.N. Farvolden. 1979. The role of groundwater in storm runoff. Journal of Hydrology 43: 45-65.
- Snohomish Basin Salmon Recovery Forum. 2005. Snohomish River Basin Salmon Conservation Plan. June 2005.
- Snohomish Basin Salmonid Recovery Technical Committee. 1999. Initial Snohomish River Basin Chinook Salmon Conservation/Recovery Technical Work Plan. October 6, 1999.
- Snohomish County. 2003. Classification and Analysis of August 2001 Land Cover: Snohomish County. Prepared by Michael D. Purser, Rob Simmonds, Suzy Brunzell, and D.D. Wilcox. February 2003.
- Snohomish County Public Utility District No. 1 (PUD). 2007. Fisheries Program, Salmon Charts. Available online at <<http://www.snopud.com/water/jhp/fisheries.ashx?p=1821>> Accessed April 25, 2007.
- Snohomish County Public Utility District No. 1 and City of Everett (Snohomish County PUD and Everett). 2004. Jackson Hydroelectric Project FERC #2154 Informal Relicensing Meetings. PowerPoint Presentation. Fall, 2004. Available online at <<http://www.snopud.com/water/relicensing/relicensingdocs.ashx?p=2352>> Accessed April 25, 2007.
- Spalding, Charles P. and Raziuddin Khaleel. 1991. An Evaluation of Analytical Solutions to Estimate Drawdowns and Stream Depletions by Wells. Water Resources Research. 1991 Apr; 27(4):597-609.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R. P. Novitzki. 1996. An Ecosystem Approach to Salmonid Conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp. Corvallis, OR.
- Stalnaker, C.B. 1994. Evolution of instream flow modelling. Pages 276-286 in P. Calow and G.E. Petts, editors. River Handbook. Volume II. Blackwell Scientific Publications, Oxford.

- Stalnaker, C.B., B.L. Lamb, J. Hendriksen, K. Bovee, and J. Bartholow 1995. The instream flow incremental methodology: A primer for IFIM. U.S. Department of the Interior, National Biological Service, Biological Report 29. 45pp.
- Stanford, J.A., J.V. Ward, W.J. Liss, C.A. Frissell, R.N. Williams, J.A. Lichatowich, and C.C. Coutant. 1996. A general protocol for restoration of regulated rivers. *Regulated Rivers: Research and Management*, 12: 391-413.
- Tabor, R.W., V.A. Frizzell, Jr., D.B. Booth, R.B. Waitt, J.T. Whetten, and R.E. Zartman. 1993. Geologic map of the Skykomish River 30-By 60- Minute Quadrangle, Washington; U.S. Geological Survey Map, Miscellaneous Investigations Series Map I-1963.
- Tabor, R.W., V.A. Frizzell, Jr., D.B. Booth, and R.B. Waitt. 2000. Geologic Map of the Snoqualmie Pass 30-Minute by 60-Minute Quadrangle, Washington (I-2538). USGS [Geologic investigations series I-2538](#).
- Tasker, G. D. and N. E. Driver, 1988. Nationwide Regression Models for Predicting Urban Runoff Quality at Unmonitored Sites, *Water Resources Bulletin* 24(5):1091-1101.
- Taylor, G.H., C. Daly and W.P. Gibson, 1993. Development of an Isohyetal Analysis for Oregon Using the PRISM Model. *Engineering Hydrology: Proceedings of the Symposium, Chin Y. Kuo, Eds.*, American Society of Civil Engineers, New York, NY, 121-125.
- Theis, C.V. 1941. The effect of a well on the flow of a nearby stream. *American Geophysical Union Transactions*, 22(3), 734-738.
- Thomas, B. E., J. M. Wilkinson, and S.S. Embrey. 1997. The ground-water system and ground-water quality in western Snohomish County, Washington. *Water-Resources Investigations Report* 96-4312.
- Toth, J. 1963. A theoretical analysis of groundwater flow in small drainage basins. *Journal of Geophysical Research* 68, 4785-4812.
- Tsur, Y. 1990. Stabilization role of groundwater when surface water supplies are uncertain: The implications for groundwater development, *Water Resources. Research*, 26(5), 811-818.
- Turney, G.L., S.C. Kahle, and N.P. Dion. 1995. Geohydrology and Ground-Water Quality of East King County, Washington. U.S. Geological Survey Water Resources Investigations Report 94-4082.
- UK Groundwater Forum. 2000. Groundwater Resources. Accessed online 28 April 2005 (http://www.groundwateruk.org/archive/groundwater_resources.pdf).
- U.S. Bureau of Reclamation. 2005. 2005 Klamath Basin Water Bank. Accessed online 28 April 2005 (http://www.usbr.gov/mp/kbao/pilot_water_bank/index.html).
- U.S Geological Survey (USGS). 2005. Water Resources Data-Washington Water Year 2005. By R.A. Kimbrough, G.P. Ruppert, W.D. Wiggins, R.R. Smith, and D.L. Kresch. Water Data Report WA-05-1. Available online at <http://pubs.usgs.gov/wdr/2005/wdr-wa-05-1/>.

- Vaccaro, J. J.; Woodward, D. G.; Gannett, M. W.; Jones, M. A.; Collins, C. A.; Caldwell, R. R.; Hansen, A. J. 1997. Summary of the Puget-Willamette Lowland regional aquifer-system analysis, Washington, Oregon, and British Columbia. Open-File Report 96-353.
- Vaccaro, J.J., A.J. Hansen, Jr., and M.A. Jones. 1998. Hydrogeologic Framework of the Puget Sound Aquifer System, Washington and British Columbia. US Geological Survey Professional Paper 1424-D.
- Voyce, K. 2005. UK Environment Agency. Personnel Communication, 5 May 2005.
- Wallace, R., Y. Darama, and M. Annable. 1990. Stream depletion by cyclic pumping of wells, *WaterResour. Res.*, 26(6), 1263–1270.
- Ward, J.V., K. Tockner and F. Schiemer. 1999. Biodiversity of Floodplain River Ecosystems: Ecotones and Connectivity. *Regulated Rivers: Research and Management* 15: 125-139.
- Ward, J.V. and K. Tockner. 2001. Biodiversity: towards a unifying theme for river ecology. *Freshwater Biology* 46: 807-819.
- Washington Administrative Code (WAC) 173-507. Instream resources protection program - Snohomish River Basin - WRIA 7.
- Washington Administrative Code (WAC) 175-157. Underground artificial storage and recovery.
- Washington State Department of Ecology (WDOE). 1995. Draft Initial Watershed Assessment Water Resources Inventory Area 7 Snohomish River Watershed. Washington State Department of Ecology Publication No. 95-006. Prepared by Pacific Groundwater Group in associated with Northwest Hydraulic Consultants, Inc. Available online at <http://www.ecy.wa.gov/pubs/95006.pdf>.
- Washington State Department of Ecology (WDOE). 2003. Mitigation Measures used in Water Right Permitting. April 2003. Accessed online 20 October 2006 (<http://ecystage.ecy.wa.gov/programs/wr/instream-flows/Images/pdfs/mitmeas.pdf>).
- Washington State Department of Ecology (WDOE). 2004. Guidance: Setting Instream Flows and Allocating Water for Future Out-of-Stream Uses. September 2004.
- Washington State Department of Ecology and Washington Department of Fish and Wildlife (WDOE and WDFW). 2003. Washington Water Acquisition Program: Finding Water to Restore Streams. WDOE Publication No. 03-11-005. March 2003.
- Water Education Foundation. 2005. Allocating more water for fish and wildlife. Accessed online 28 April 2005 (http://www.water-ed.org/cabriefing.asp#ALLOCATING_%20MORE%20WATER%20FOR%20FISH%20AND%20WILDLIFE).
- White, D. S. 1993. Perspectives on defining and delineating hyporheic zones. – *J. N. Am. Benthol. Soc.* 12, 1: 61–69. *Acta Univ. Palacki. Olomuc. Fac. Rer. nat.* (1998) *Biol.* 36, 75–82.
- Williams, V.S. 1971. Glacial geology of the drainage basin of the middle fork of the Snoqualmie River. University of Washington M.S. Thesis.

- Woodward, D. G.; Packard, F. A.; Dion, N. P.; Sumioka, S. S. 1995. Occurrence and quality of ground water in southwestern King County, Washington. Water-Resources Investigations Report 92-4098.
- Yager, Richard M. and P.A. Metz.. 2004. Simulated Effects of Ground-Water Augmentation on the Hydrology of Round and Halfmoon Lakes in Northwestern Hillsborough County, Florida. U.S Geological Survey Water-Resources Investigations Report 2003-4322.
- Zecharias, Y. B., and W. Brutsaert. 1988. Recession characteristics of groundwater outflow and base flow from mountainous watersheds, *Water Resour. Res.*, 24(10), 1651–1658.